

NEWBORN HEARING SCREENING RESULTS FOR MICHIGAN

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	27470	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	27476	100.02 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.24 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	22575	84.49 %
ABR	510	1.91 %
DISTORTION PRODUCT	3625	13.57 %
TEOAE	3	0.01 %
BILATERALLY COMPLETED REPORTS	26713	97.22 %
PASSED	25511	95.48 %
BILATERAL FAIL	371	1.39 %
FAILED IN LEFT EAR ONLY	505	1.89 %
FAILED IN RIGHT EAR ONLY	326	1.22 %
INCOMPLETE SCREEN REPORTS	673	2.45 %
EQUIPMENT FAILURE	17	2.53 %
NEWBORN DISCHARGED	36	5.35 %
NICU HEARING PENDING	207	30.76 %
REFUSED	115	17.09 %
RESTLESSNESS	8	1.19 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	210	31.20 %
DECEASED	46	6.84 %
OTHER	34	5.05 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	N/A		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1869		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1399)	74.85 %
MISSING CASES	-6		-0.02 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	371	(270)	72.78 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	831	(613)	73.77 %
INCOMPLETE CASES (RESULTS RECEIVED)	673	(516)	76.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ALLEGIANCE HEALTH, JACKSON

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	391	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	391	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.49 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	388	99.74 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.26 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	389	99.49 %
PASSED	365	93.83 %
BILATERAL FAIL	8	2.06 %
FAILED IN LEFT EAR ONLY	10	2.57 %
FAILED IN RIGHT EAR ONLY	6	1.54 %
INCOMPLETE SCREEN REPORTS	2	0.51 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Allegiance Health System		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	26		
TOTAL FOLLOW UP RESULTS RECEIVED **		(22)	84.62 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8	(7)	87.50 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	16	(12)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(3)	150.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ALLEGIANCE HEALTH SCN, JACKSON

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	36	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	36	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.44 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	34	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	34	94.44 %
PASSED	32	94.12 %
BILATERAL FAIL	2	5.88 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	5.56 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4	
TOTAL FOLLOW UP RESULTS RECEIVED **		(3) 75.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ALPENA REGIONAL MEDICAL CENTER, ALPENA

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	103	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	103	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.12 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	5	5.05 %
ABR	0	0.00 %
DISTORTION PRODUCT	94	94.95 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	99	96.12 %
PASSED	95	95.96 %
BILATERAL FAIL	2	2.02 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	2.02 %
INCOMPLETE SCREEN REPORTS	4	3.88 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	3	75.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	25.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	37.50 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(1)	25.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS GRAND VIEW HOSPITAL, IRONWOOD

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	27	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	27	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.30 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	26	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	26	96.30 %
PASSED	26	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	3.70 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Grandview Hospital -OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS KEWEENAW HOSPITAL, LAURIUM

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	32	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	32	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		93.75 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	30	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	30	93.75 %
PASSED	29	96.67 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	3.33 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	6.25 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Portage Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BADGER, SARA, GRAND RAPIDS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	4	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	50.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	50.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	50.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	2		50.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BARBEAU, BETH, ANN ARBOR

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	50.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		50.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT - ROYAL OAK, ROYAL OAK

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	1169		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1169	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1169	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1169	100.00 %	
PASSED	1131	96.75 %	
BILATERAL FAIL	9	0.77 %	
FAILED IN LEFT EAR ONLY	17	1.45 %	
FAILED IN RIGHT EAR ONLY	12	1.03 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital- RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	38		
TOTAL FOLLOW UP RESULTS RECEIVED **		(31)	81.58 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(7)	77.78 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	29	(24)	82.76 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT - TROY NICU, TROY

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	72	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	72	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.22 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	70	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	70	97.22 %
PASSED	67	95.71 %
BILATERAL FAIL	1	1.43 %
FAILED IN LEFT EAR ONLY	1	1.43 %
FAILED IN RIGHT EAR ONLY	1	1.43 %
INCOMPLETE SCREEN REPORTS	2	2.78 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	80.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT GROSSE POINTE , GROSSE POINTE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	184		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	184		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.46 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	183		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	183		99.46 %
PASSED	178		97.27 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	4		2.19 %
FAILED IN RIGHT EAR ONLY	1		0.55 %
INCOMPLETE SCREEN REPORTS	1		0.54 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital -RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(2)	40.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT HOSPITAL - TROY, TROY

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	773		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	773	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	773	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	773	100.00 %	
PASSED	742	95.99 %	
BILATERAL FAIL	8	1.03 %	
FAILED IN LEFT EAR ONLY	15	1.94 %	
FAILED IN RIGHT EAR ONLY	8	1.03 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Bay Medical OB department		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	31		
TOTAL FOLLOW UP RESULTS RECEIVED **		(29)	93.55 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	23	(23)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT ROYAL OAK - NICU, ROYAL OAK

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	95	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	95	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		91.58 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	87	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	87	91.58 %
PASSED	84	96.55 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.15 %
FAILED IN RIGHT EAR ONLY	2	2.30 %
INCOMPLETE SCREEN REPORTS	8	8.42 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	8	100.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Zeeland Family Birth Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	18.18 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1)	33.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(1)	12.50 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BLACKWELL, COURTNEY, CLARKSTON

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		50.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	50.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	1	100.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	1	50.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	1	100.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BOLZMAN, SANDRA, MILLINGTON

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BORGESS MEDICAL CENTER, KALAMAZOO

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	324	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	323	99.69 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.30 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	40	12.82 %
ABR	1	0.32 %
DISTORTION PRODUCT	271	86.86 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	312	96.59 %
PASSED	293	93.91 %
BILATERAL FAIL	6	1.92 %
FAILED IN LEFT EAR ONLY	4	1.28 %
FAILED IN RIGHT EAR ONLY	9	2.88 %
INCOMPLETE SCREEN REPORTS	11	3.41 %
EQUIPMENT FAILURE	8	72.73 %
NEWBORN DISCHARGED	2	18.18 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	9.09 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	31	
TOTAL FOLLOW UP RESULTS RECEIVED **		(20) 64.52 %
MISSING CASES	1	0.31 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5) 83.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	13	(11) 84.62 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(4) 36.36 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BOTSFORD GENERAL HOSPITAL, FARMINGTON HILLS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	228	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	228	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.25 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	20	8.93 %
ABR	4	1.79 %
DISTORTION PRODUCT	200	89.29 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	224	98.25 %
PASSED	215	95.98 %
BILATERAL FAIL	4	1.79 %
FAILED IN LEFT EAR ONLY	2	0.89 %
FAILED IN RIGHT EAR ONLY	3	1.34 %
INCOMPLETE SCREEN REPORTS	4	1.75 %
EQUIPMENT FAILURE	1	25.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13	
TOTAL FOLLOW UP RESULTS RECEIVED **	(7)	53.85 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(1) 20.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BRONSON BATTLE CREEK , BATTLE CREEK

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	208	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	208	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.08 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	172	84.31 %
ABR	32	15.69 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	204	98.08 %
PASSED	200	98.04 %
BILATERAL FAIL	2	0.98 %
FAILED IN LEFT EAR ONLY	2	0.98 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	1.92 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8	
TOTAL FOLLOW UP RESULTS RECEIVED **		(8) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL, KALAMAZOO

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	836		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	835		99.88 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.80 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	825		99.88 %
ABR	0		0.00 %
DISTORTION PRODUCT	1		0.12 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	826		98.92 %
PASSED	800		96.85 %
BILATERAL FAIL	7		0.85 %
FAILED IN LEFT EAR ONLY	11		1.33 %
FAILED IN RIGHT EAR ONLY	8		0.97 %
INCOMPLETE SCREEN REPORTS	9		1.08 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	8		88.89 %
REFUSED	1		11.11 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	36		
TOTAL FOLLOW UP RESULTS RECEIVED **		(29)	80.56 %
MISSING CASES	1		0.12 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6)	85.71 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	19	(14)	73.68 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(9)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL - NICU, KALAMAZOO

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	84	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	84	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		32.14 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	27	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	27	32.14 %
PASSED	27	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	57	67.86 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	54	94.74 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	3.51 %
DECEASED	1	1.75 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	57		
TOTAL FOLLOW UP RESULTS RECEIVED **		(49)	85.96 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	57	(49)	85.96 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BURGESS , KATHLEEN, BEAVERTON

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Zeeland Family Birth Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR CHARLEVOIX HOSPITAL, CHARLEVOIX

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	47	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	47	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.74 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	45	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	45	95.74 %
PASSED	36	80.00 %
BILATERAL FAIL	7	15.56 %
FAILED IN LEFT EAR ONLY	2	4.44 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	4.26 %
EQUIPMENT FAILURE	2	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Charlevoix OB
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11
TOTAL FOLLOW UP RESULTS RECEIVED **	(11) 100.00 %
MISSING CASES	0 0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7 (7) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2 (2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2 (2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR CHILDREN'S HOSPITAL OF MICH NICU, DETROIT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	7		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5		71.43 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			28.57 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	2		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	2		40.00 %
PASSED	1		50.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	1		50.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	3		60.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		33.33 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		33.33 %
DECEASED	1		33.33 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	50.00 %
MISSING CASES	2		28.57 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR CHILDREN'S HOSPITAL OF MICHIGAN, DETROIT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	0		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	0	0.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Children's Hospital Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COMMUNITY HEALTH CENTER OF BRANCH COUNTY,
COLDWATER

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	77	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	77	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.40 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	75	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	75	97.40 %
PASSED	73	97.33 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	2.67 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	2.60 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Allegiance Health System		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR Cornwell, Leslie, Greenville

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	71.43 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		14.29 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	20.00 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	80.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	4	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	16.67 %
MISSING CASES	2		28.57 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(1)	25.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COVENANT HOSPITAL, SAGINAW

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	605	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	605	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.83 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	601	99.50 %
ABR	2	0.33 %
DISTORTION PRODUCT	1	0.17 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	604	99.83 %
PASSED	571	94.54 %
BILATERAL FAIL	9	1.49 %
FAILED IN LEFT EAR ONLY	12	1.99 %
FAILED IN RIGHT EAR ONLY	12	1.99 %
INCOMPLETE SCREEN REPORTS	1	0.17 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	100.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	34	
TOTAL FOLLOW UP RESULTS RECEIVED **	(26)	76.47 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(4) 44.44 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	24	(21) 87.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COVENANT HOSPITAL NICU, SAGINAW

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	147	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	147	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		91.16 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	131	97.76 %
ABR	3	2.24 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	134	91.16 %
PASSED	132	98.51 %
BILATERAL FAIL	1	0.75 %
FAILED IN LEFT EAR ONLY	1	0.75 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	13	8.84 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	8	61.54 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	23.08 %
DECEASED	2	15.38 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	53.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	13	(7)	53.85 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR CRITTENTON HOSPITAL, ROCHESTER

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	299	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	299	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.99 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	292	99.66 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.34 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	293	97.99 %
PASSED	289	98.63 %
BILATERAL FAIL	2	0.68 %
FAILED IN LEFT EAR ONLY	2	0.68 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	6	2.01 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	6	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	90.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(6)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR DICKINSON COUNTY HEALTHCARE SYSTEM, IRON MOUNTAIN

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	98	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	98	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.98 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	97	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	97	98.98 %
PASSED	95	97.94 %
BILATERAL FAIL	2	2.06 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.02 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Dickinson CO Healthcare - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR DOWD , CATHY, MIDLAND

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	7	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	7	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	7	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Zeeland Family Birth Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(7)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR FERNANDEZ, ANNA, ANN ARBOR

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR FULL CIRCLE MIDWIFERY SERVICE INC, HESPERIA

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	16	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	16	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		93.75 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	15	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	15	93.75 %
PASSED	15	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	6.25 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Zeeland Family Birth Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR GARDEN CITY OSTEOPATHIC HOSPITAL, GARDEN CITY

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	185	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	185	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.38 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	182	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	182	98.38 %
PASSED	174	95.60 %
BILATERAL FAIL	3	1.65 %
FAILED IN LEFT EAR ONLY	3	1.65 %
FAILED IN RIGHT EAR ONLY	2	1.10 %
INCOMPLETE SCREEN REPORTS	3	1.62 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	1	33.33 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Garden City Hosp. - Aud	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11	
TOTAL FOLLOW UP RESULTS RECEIVED **		(5) 45.45 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1) 33.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(1) 20.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR GENESYS REGIONAL MED CTR - HEALTH PARK, GRAND BLANC

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	489	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	488	99.80 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.77 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	482	99.79 %
ABR	1	0.21 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	483	98.98 %
PASSED	465	96.27 %
BILATERAL FAIL	2	0.41 %
FAILED IN LEFT EAR ONLY	13	2.69 %
FAILED IN RIGHT EAR ONLY	3	0.62 %
INCOMPLETE SCREEN REPORTS	5	1.02 %
EQUIPMENT FAILURE	1	20.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	20.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	60.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Comprehensive Hearing Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	24		
TOTAL FOLLOW UP RESULTS RECEIVED **		(17)	70.83 %
MISSING CASES	1		0.20 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	16	(11)	68.75 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR GINGERICH, MARTHA, MANTON

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HEALEY , LINDA, BATTLE CREEK

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		20.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	1	100.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	20.00 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	80.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	4	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Zeeland Family Birth Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE SCN, WYANDOTTE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	6	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	6	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	6	100.00 %
PASSED	6	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL, DETROIT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	473		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	473	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	468	98.94 %	
ABR	4	0.85 %	
DISTORTION PRODUCT	1	0.21 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	473	100.00 %	
PASSED	428	90.49 %	
BILATERAL FAIL	9	1.90 %	
FAILED IN LEFT EAR ONLY	18	3.81 %	
FAILED IN RIGHT EAR ONLY	18	3.81 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford Hospital -Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	45		
TOTAL FOLLOW UP RESULTS RECEIVED **		(32)	71.11 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(5)	55.56 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	36	(27)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL NICU, DETROIT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	79	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	79	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		83.54 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	8	11.94 %
ABR	58	86.57 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	66	83.54 %
PASSED	60	89.55 %
BILATERAL FAIL	1	1.49 %
FAILED IN LEFT EAR ONLY	4	5.97 %
FAILED IN RIGHT EAR ONLY	1	1.49 %
INCOMPLETE SCREEN REPORTS	13	16.46 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	9	69.23 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	23.08 %
DECEASED	1	7.69 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	19	
TOTAL FOLLOW UP RESULTS RECEIVED **		(8) 42.11 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(3) 60.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	13	(4) 30.77 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD MACOMB HOSPITAL, CLINTON TWP.

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	443	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	443	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.55 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	439	99.55 %
ABR	2	0.45 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	441	99.55 %
PASSED	430	97.51 %
BILATERAL FAIL	4	0.91 %
FAILED IN LEFT EAR ONLY	4	0.91 %
FAILED IN RIGHT EAR ONLY	3	0.68 %
INCOMPLETE SCREEN REPORTS	2	0.45 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Macomb ISD		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	69.23 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(5)	71.43 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD W BLOOMFIELD HOSPITAL, WEST BLOOMFIELD

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	469	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	469	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.57 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	396	84.80 %
ABR	71	15.20 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	467	99.57 %
PASSED	440	94.22 %
BILATERAL FAIL	5	1.07 %
FAILED IN LEFT EAR ONLY	11	2.36 %
FAILED IN RIGHT EAR ONLY	11	2.36 %
INCOMPLETE SCREEN REPORTS	2	0.43 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	50.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	50.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford West Bloomfield	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	29	
TOTAL FOLLOW UP RESULTS RECEIVED **		(24) 82.76 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4) 80.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	22	(19) 86.36 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE, WYANDOTTE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	385	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	385	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.48 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	383	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	383	99.48 %
PASSED	372	97.13 %
BILATERAL FAIL	5	1.31 %
FAILED IN LEFT EAR ONLY	5	1.31 %
FAILED IN RIGHT EAR ONLY	1	0.26 %
INCOMPLETE SCREEN REPORTS	2	0.52 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hug Center for Hearing</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13	
TOTAL FOLLOW UP RESULTS RECEIVED **	(7)	53.85 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(3) 60.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(3) 50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HERSHBERGER, FRIEDA, CLARE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	18		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	18	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	18	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	18	100.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai-Grace Hospital		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18		
TOTAL FOLLOW UP RESULTS RECEIVED **		(18)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	18	(18)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HILLSDALE COMMUNITY HEALTH CENTER, HILLSDALE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	85	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	85	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.82 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	82	97.62 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	2.38 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	84	98.82 %
PASSED	81	96.43 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.19 %
FAILED IN RIGHT EAR ONLY	2	2.38 %
INCOMPLETE SCREEN REPORTS	1	1.18 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hillsdale Comm. Hosp. - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HOLLAND HOSPITAL, HOLLAND

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	436	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	436	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.08 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	430	99.54 %
ABR	2	0.46 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	432	99.08 %
PASSED	424	98.15 %
BILATERAL FAIL	1	0.23 %
FAILED IN LEFT EAR ONLY	6	1.39 %
FAILED IN RIGHT EAR ONLY	1	0.23 %
INCOMPLETE SCREEN REPORTS	4	0.92 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	1	25.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Holland Ob		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	91.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6)	85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HONEY, LINDA, DETROIT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	2	100.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	2	100.00 %
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Zeeland Family Birth Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HURLEY MEDICAL CENTER, FLINT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	680	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	677	99.56 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.53 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	647	96.57 %
ABR	0	0.00 %
DISTORTION PRODUCT	23	3.43 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	670	98.97 %
PASSED	647	96.57 %
BILATERAL FAIL	2	0.30 %
FAILED IN LEFT EAR ONLY	15	2.24 %
FAILED IN RIGHT EAR ONLY	6	0.90 %
INCOMPLETE SCREEN REPORTS	7	1.03 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	14.29 %
NICU HEARING PENDING	2	28.57 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	28.57 %
DECEASED	2	28.57 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Motts Children's HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	33		
TOTAL FOLLOW UP RESULTS RECEIVED **		(27)	81.82 %
MISSING CASES	3		0.44 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	21	(19)	90.48 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(6)	85.71 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HURON MEDICAL CENTER, BAD AXE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	105	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	105	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.05 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	104	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	104	99.05 %
PASSED	100	96.15 %
BILATERAL FAIL	2	1.92 %
FAILED IN LEFT EAR ONLY	2	1.92 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.95 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Huron Early On</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5	
TOTAL FOLLOW UP RESULTS RECEIVED **		(3) 60.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY-SINAI HOSP NICU, COMMERCE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	15	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	15	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	4	26.67 %
ABR	11	73.33 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	15	100.00 %
PASSED	15	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Children's Hospital Aud.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY-SINAI HOSPITAL, COMMERCE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	250	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	250	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.60 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	81	32.53 %
ABR	142	57.03 %
DISTORTION PRODUCT	24	9.64 %
TEOAE	2	0.80 %
BILATERALLY COMPLETED REPORTS	249	99.60 %
PASSED	237	95.18 %
BILATERAL FAIL	2	0.80 %
FAILED IN LEFT EAR ONLY	7	2.81 %
FAILED IN RIGHT EAR ONLY	3	1.20 %
INCOMPLETE SCREEN REPORTS	1	0.40 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Children's Hospital Aud.	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13	
TOTAL FOLLOW UP RESULTS RECEIVED **	(9)	69.23 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(7) 70.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL, DETROIT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	884	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	884	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.42 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	97	11.15 %
ABR	2	0.23 %
DISTORTION PRODUCT	771	88.62 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	870	98.42 %
PASSED	833	95.75 %
BILATERAL FAIL	15	1.72 %
FAILED IN LEFT EAR ONLY	6	0.69 %
FAILED IN RIGHT EAR ONLY	16	1.84 %
INCOMPLETE SCREEN REPORTS	14	1.58 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	5	35.71 %
NICU HEARING PENDING	1	7.14 %
REFUSED	0	0.00 %
RESTLESSNESS	4	28.57 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	14.29 %
DECEASED	1	7.14 %
OTHER	1	7.14 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	51		
TOTAL FOLLOW UP RESULTS RECEIVED **		(24)	47.06 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	15	(5)	33.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	22	(12)	54.55 %
INCOMPLETE CASES (RESULTS RECEIVED)	14	(7)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL SCN, DETROIT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	107	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	106	99.07 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	74	72.55 %
ABR	2	1.96 %
DISTORTION PRODUCT	26	25.49 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	102	96.23 %
PASSED	97	95.10 %
BILATERAL FAIL	2	1.96 %
FAILED IN LEFT EAR ONLY	1	0.98 %
FAILED IN RIGHT EAR ONLY	2	1.96 %
INCOMPLETE SCREEN REPORTS	4	3.77 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	25.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	1	25.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	50.00 %
MISSING CASES	1		0.93 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3)	75.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL NICU, DETROIT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	173		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	168		97.11 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			81.50 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	75		53.19 %
ABR	32		22.70 %
DISTORTION PRODUCT	34		24.11 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	141		83.93 %
PASSED	137		97.16 %
BILATERAL FAIL	2		1.42 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	2		1.42 %
INCOMPLETE SCREEN REPORTS	27		16.07 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	10		37.04 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	9		33.33 %
DECEASED	7		25.93 %
OTHER	1		3.70 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	36		
TOTAL FOLLOW UP RESULTS RECEIVED **		(13)	36.11 %
MISSING CASES	5		2.89 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	27	(12)	44.44 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR KEESLAR, IREENA, HOWE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		80.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	4	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	4	80.00 %
PASSED	2	50.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	25.00 %
FAILED IN RIGHT EAR ONLY	1	25.00 %
INCOMPLETE SCREEN REPORTS	1	20.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR LACY, KRISTIN, FARMINGTON HILLS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	1	100.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	100.00 %
PASSED	0	0.00 %
BILATERAL FAIL	1	100.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR LAKELAND MEDICAL CENTER - ST JOSEPH, ST. JOSEPH

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	297	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	297	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.99 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	33	11.22 %
ABR	0	0.00 %
DISTORTION PRODUCT	261	88.78 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	294	98.99 %
PASSED	274	93.20 %
BILATERAL FAIL	9	3.06 %
FAILED IN LEFT EAR ONLY	7	2.38 %
FAILED IN RIGHT EAR ONLY	4	1.36 %
INCOMPLETE SCREEN REPORTS	3	1.01 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Lake Michigan Hearing Center & Sinus & Sleep Apnea		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	23		
TOTAL FOLLOW UP RESULTS RECEIVED **		(18)	78.26 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(6)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(9)	81.82 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR LAKELAND OF NILES, NILES

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	179	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	179	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.44 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	29	16.29 %
ABR	0	0.00 %
DISTORTION PRODUCT	149	83.71 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	178	99.44 %
PASSED	171	96.07 %
BILATERAL FAIL	3	1.69 %
FAILED IN LEFT EAR ONLY	2	1.12 %
FAILED IN RIGHT EAR ONLY	2	1.12 %
INCOMPLETE SCREEN REPORTS	1	0.56 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL

TOTAL INITIAL CASES NEEDING FOLLOW UP *	8	
TOTAL FOLLOW UP RESULTS RECEIVED **		(8) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR LAMBRIGHT, MARIETTA, LEROY

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	6	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	6	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	6	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL St Joseph Mercy AA-OB

TOTAL INITIAL CASES NEEDING FOLLOW UP *	6	
TOTAL FOLLOW UP RESULTS RECEIVED **		(6) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(6) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR LEMLEY, TERRI, BENTON HARBOR

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	8	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	50.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		37.50 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	33.33 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	66.67 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	3	75.00 %
PASSED	3	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	25.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	20.00 %
MISSING CASES	4		50.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR Likens, Emily, Plainwell

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	80.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	4	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	80.00 %
MISSING CASES	1		20.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCCURDY, SANDRA, EAST LANSING

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	2	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	2	100.00 %	
PASSED	2	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN PORT HURON, PORT HURON

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	25	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	25	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		88.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	22	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	22	88.00 %
PASSED	21	95.45 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	4.55 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	12.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN BAY REGION, BAY CITY

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	216	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	215	99.54 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.69 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	209	99.05 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	0.95 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	211	98.14 %
PASSED	204	96.68 %
BILATERAL FAIL	2	0.95 %
FAILED IN LEFT EAR ONLY	5	2.37 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	1.86 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	0	0.00 %
OTHER	1	25.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Bay Medical OB department	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12	
TOTAL FOLLOW UP RESULTS RECEIVED **		(8) 66.67 %
MISSING CASES	1	0.46 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4) 80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(2) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN CENTRAL MICHIGAN, MT. PLEASANT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	126		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	125		99.21 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			97.62 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	123		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	123		98.40 %
PASSED	117		95.12 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	5		4.07 %
FAILED IN RIGHT EAR ONLY	1		0.81 %
INCOMPLETE SCREEN REPORTS	2		1.60 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Central MI University		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	55.56 %
MISSING CASES	1		0.79 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN FLINT, FLINT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	115	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	115	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	115	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	115	100.00 %
PASSED	111	96.52 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	2.61 %
FAILED IN RIGHT EAR ONLY	1	0.87 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	25.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(1)	25.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN FLINT NICU, FLINT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Holley Ear Institute</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN FLINT SCN, FLINT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	3	100.00 %
PASSED	3	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN GREATER LANSING, LANSING

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	316	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	316	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.68 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	314	99.68 %
ABR	1	0.32 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	315	99.68 %
PASSED	302	95.87 %
BILATERAL FAIL	2	0.63 %
FAILED IN LEFT EAR ONLY	8	2.54 %
FAILED IN RIGHT EAR ONLY	3	0.95 %
INCOMPLETE SCREEN REPORTS	1	0.32 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	100.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14	
TOTAL FOLLOW UP RESULTS RECEIVED **		(12) 85.71 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(9) 81.82 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN LAPEER REGION , LAPEER

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	91	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	90	98.90 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.80 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	88	98.88 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	1.12 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	89	98.89 %
PASSED	84	94.38 %
BILATERAL FAIL	4	4.49 %
FAILED IN LEFT EAR ONLY	1	1.12 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.11 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Lapeer Hospital OB	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **	(6)	85.71 %
MISSING CASES	1	1.10 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN MACOMB, MT. CLEMENS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	253	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	253	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.60 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	252	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	252	99.60 %
PASSED	244	96.83 %
BILATERAL FAIL	1	0.40 %
FAILED IN LEFT EAR ONLY	6	2.38 %
FAILED IN RIGHT EAR ONLY	1	0.40 %
INCOMPLETE SCREEN REPORTS	1	0.40 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	100.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Macomb ISD		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(5)	71.43 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN NORTHERN MICHIGAN HOSPITAL, PETOSKEY

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	146	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	145	99.32 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.26 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	0.70 %
ABR	0	0.00 %
DISTORTION PRODUCT	141	99.30 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	142	97.93 %
PASSED	125	88.03 %
BILATERAL FAIL	6	4.23 %
FAILED IN LEFT EAR ONLY	6	4.23 %
FAILED IN RIGHT EAR ONLY	5	3.52 %
INCOMPLETE SCREEN REPORTS	3	2.07 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	33.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Northern MI Hospital -Neuro DX		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21		
TOTAL FOLLOW UP RESULTS RECEIVED **		(19)	90.48 %
MISSING CASES	1		0.68 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(11)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN PORT HURON, PORT HURON

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	279	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	279	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.92 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	276	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	276	98.92 %
PASSED	263	95.29 %
BILATERAL FAIL	7	2.54 %
FAILED IN LEFT EAR ONLY	3	1.09 %
FAILED IN RIGHT EAR ONLY	3	1.09 %
INCOMPLETE SCREEN REPORTS	3	1.08 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	33.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Port Huron Hospital - FBP	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16	
TOTAL FOLLOW UP RESULTS RECEIVED **		(15) 93.75 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(7) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2) 66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MEMORIAL HEALTH CARE, OWOSSO

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	116	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	116	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	108	93.10 %
ABR	1	0.86 %
DISTORTION PRODUCT	7	6.03 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	116	100.00 %
PASSED	109	93.97 %
BILATERAL FAIL	2	1.72 %
FAILED IN LEFT EAR ONLY	3	2.59 %
FAILED IN RIGHT EAR ONLY	2	1.72 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Memorial Healthcare Ctr - Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	71.43 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4)	80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH PARTNERS HACKLEY CAMPUS, MUSKEGON

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	513		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	511		99.61 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			97.08 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	491		98.59 %
ABR	6		1.20 %
DISTORTION PRODUCT	1		0.20 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	498		97.46 %
PASSED	485		97.39 %
BILATERAL FAIL	4		0.80 %
FAILED IN LEFT EAR ONLY	6		1.20 %
FAILED IN RIGHT EAR ONLY	3		0.60 %
INCOMPLETE SCREEN REPORTS	13		2.54 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	13		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Mercy Health-Muskegon - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	28		
TOTAL FOLLOW UP RESULTS RECEIVED **		(19)	67.86 %
MISSING CASES	2		0.39 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(9)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	13	(7)	53.85 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH ST. MARY'S, GRAND RAPIDS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	31	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	31	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.77 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	29	96.67 %
ABR	1	3.33 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	30	96.77 %
PASSED	29	96.67 %
BILATERAL FAIL	1	3.33 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	3.23 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH ST. MARY'S, GRAND RAPIDS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	552	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	552	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.82 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	544	98.73 %
ABR	5	0.91 %
DISTORTION PRODUCT	2	0.36 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	551	99.82 %
PASSED	533	96.73 %
BILATERAL FAIL	6	1.09 %
FAILED IN LEFT EAR ONLY	9	1.63 %
FAILED IN RIGHT EAR ONLY	3	0.54 %
INCOMPLETE SCREEN REPORTS	1	0.18 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	19	
TOTAL FOLLOW UP RESULTS RECEIVED **	(16)	84.21 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5) 83.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	12	(10) 83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MERCY HOSPITAL - GRAYLING, GRAYLING

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	79	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	79	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.20 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	9.21 %
ABR	0	0.00 %
DISTORTION PRODUCT	69	90.79 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	76	96.20 %
PASSED	63	82.89 %
BILATERAL FAIL	5	6.58 %
FAILED IN LEFT EAR ONLY	3	3.95 %
FAILED IN RIGHT EAR ONLY	5	6.58 %
INCOMPLETE SCREEN REPORTS	3	3.80 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Mercy Hospital - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	93.75 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(7)	87.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MERCY HOSPITAL CADILLAC, CADILLAC

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	95	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	95	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.79 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	90	98.90 %
ABR	1	1.10 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	91	95.79 %
PASSED	88	96.70 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	3.30 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	4.21 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Aud. Services Cadillac		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	85.71 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR METRO HEALTH HOSPITAL, WYOMING

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	405	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	405	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.52 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	398	99.75 %
ABR	1	0.25 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	399	98.52 %
PASSED	392	98.25 %
BILATERAL FAIL	2	0.50 %
FAILED IN LEFT EAR ONLY	2	0.50 %
FAILED IN RIGHT EAR ONLY	3	0.75 %
INCOMPLETE SCREEN REPORTS	6	1.48 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	16.67 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	83.33 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13	
TOTAL FOLLOW UP RESULTS RECEIVED **	(12)	92.31 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4) 80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(6) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MID MICHIGAN MEDICAL CENTER GRATIOT , ALMA

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	135		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	134		99.26 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.26 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	134		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	134		100.00 %
PASSED	127		94.78 %
BILATERAL FAIL	1		0.75 %
FAILED IN LEFT EAR ONLY	2		1.49 %
FAILED IN RIGHT EAR ONLY	4		2.99 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	CMU Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	62.50 %
MISSING CASES	1		0.74 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MID-MICHIGAN MEDICAL CENTER-MIDLAND, MIDLAND

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	305		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	305	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	300	98.36 %	
ABR	1	0.33 %	
DISTORTION PRODUCT	4	1.31 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	305	100.00 %	
PASSED	295	96.72 %	
BILATERAL FAIL	4	1.31 %	
FAILED IN LEFT EAR ONLY	4	1.31 %	
FAILED IN RIGHT EAR ONLY	2	0.66 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Central MI University		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	40.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(2)	33.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MULDER, KATHI, TRAVERSE CITY

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	100.00 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER, TRAVERSE CITY

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	272	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	264	97.06 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.22 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	253	97.68 %
ABR	6	2.32 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	259	98.11 %
PASSED	229	88.42 %
BILATERAL FAIL	13	5.02 %
FAILED IN LEFT EAR ONLY	12	4.63 %
FAILED IN RIGHT EAR ONLY	5	1.93 %
INCOMPLETE SCREEN REPORTS	5	1.89 %
EQUIPMENT FAILURE	1	20.00 %
NEWBORN DISCHARGED	2	40.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	20.00 %
RESTLESSNESS	1	20.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC - Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	43		
TOTAL FOLLOW UP RESULTS RECEIVED **		(31)	72.09 %
MISSING CASES	8		2.94 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	13	(11)	84.62 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	17	(17)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(3)	60.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER NICU, TRAVERSE CITY

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	187		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	186		99.47 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			97.86 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	178		97.27 %
ABR	5		2.73 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	183		98.39 %
PASSED	166		90.71 %
BILATERAL FAIL	8		4.37 %
FAILED IN LEFT EAR ONLY	7		3.83 %
FAILED IN RIGHT EAR ONLY	2		1.09 %
INCOMPLETE SCREEN REPORTS	3		1.61 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		33.33 %
REFUSED	1		33.33 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	1		33.33 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC-Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21		
TOTAL FOLLOW UP RESULTS RECEIVED **		(19)	90.48 %
MISSING CASES	1		0.53 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8	(8)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(8)	88.89 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR NORTH OTTAWA COMMUNITY HOSPITAL, GRAND HAVEN

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	88	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	88	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.86 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	87	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	87	98.86 %
PASSED	86	98.85 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.15 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.14 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	North Ottawa OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKLAWN HOSPITAL, MARSHALL

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	198	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	198	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.99 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	196	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	196	98.99 %
PASSED	189	96.43 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	0.51 %
FAILED IN RIGHT EAR ONLY	6	3.06 %
INCOMPLETE SCREEN REPORTS	2	1.01 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown Hearing Centers		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	33.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(1)	14.29 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD HOSPITAL - NICU, DEARBORN

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	90	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	90	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		86.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	73	93.59 %
ABR	5	6.41 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	78	86.67 %
PASSED	74	94.87 %
BILATERAL FAIL	1	1.28 %
FAILED IN LEFT EAR ONLY	2	2.56 %
FAILED IN RIGHT EAR ONLY	1	1.28 %
INCOMPLETE SCREEN REPORTS	12	13.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	4	33.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	7	58.33 %
DECEASED	1	8.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Michigan Ear Institute		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1)	33.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	12	(7)	58.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD HOSPITAL- SOUTHSHORE , TRENTON

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	132		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	130		98.48 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			95.45 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	126		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	126		96.92 %
PASSED	125		99.21 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	1		0.79 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	4		3.08 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	4		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Michigan Ear Institute		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	42.86 %
MISSING CASES	2		1.52 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3)	75.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD HOSPITAL-DEARBORN, DEARBORN

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	878	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	878	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.77 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	818	93.38 %
ABR	58	6.62 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	876	99.77 %
PASSED	834	95.21 %
BILATERAL FAIL	11	1.26 %
FAILED IN LEFT EAR ONLY	17	1.94 %
FAILED IN RIGHT EAR ONLY	14	1.60 %
INCOMPLETE SCREEN REPORTS	2	0.23 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	50.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Michigan Ear Institute		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	44		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	47.73 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	11	(5)	45.45 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	31	(15)	48.39 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD HOSPITAL-WAYNE, WAYNE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	275	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	275	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	270	98.18 %
ABR	5	1.82 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	275	100.00 %
PASSED	268	97.45 %
BILATERAL FAIL	1	0.36 %
FAILED IN LEFT EAR ONLY	5	1.82 %
FAILED IN RIGHT EAR ONLY	1	0.36 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Michigan Ear Institute		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	42.86 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(3)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD SOUTHSORE BIRTHING, TRENTON

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	2	100.00 %
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Holley Ear Institute		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OTSEGO MEMORIAL HOSPITAL, GAYLORD

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	70	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	70	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.57 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	69	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	69	98.57 %
PASSED	67	97.10 %
BILATERAL FAIL	1	1.45 %
FAILED IN LEFT EAR ONLY	1	1.45 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.43 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Otsego Memorial Hospital - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PENNOCK HOSPITAL, HASTINGS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	80	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	79	98.75 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.75 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	78	98.73 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	1.27 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	79	100.00 %
PASSED	76	96.20 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	3.80 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Pennock Hospital - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	1		1.25 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PERA , SANDRA, WAKEFIELD

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	4	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	4	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	4	100.00 %
PASSED	4	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Zeeland Family Birth Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PERKINS, CONNIE, LANSING

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	33.33 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		33.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	1	100.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	100.00 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	2		66.67 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PINTER, WENDY, CLARKSTON

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		66.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	2	66.67 %
PASSED	0	0.00 %
BILATERAL FAIL	2	100.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	33.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	100.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR Post, Audra, Okemos

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROMEDICA BIXBY HOSPITAL, ADRIAN

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	181	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	181	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.90 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	178	99.44 %
ABR	1	0.56 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	179	98.90 %
PASSED	166	92.74 %
BILATERAL FAIL	2	1.12 %
FAILED IN LEFT EAR ONLY	9	5.03 %
FAILED IN RIGHT EAR ONLY	2	1.12 %
INCOMPLETE SCREEN REPORTS	2	1.10 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Lenawee County Early On	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15	
TOTAL FOLLOW UP RESULTS RECEIVED **		(12) 80.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(8) 72.73 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROMEDICA MONROE REGIONAL HOSPITAL, MONROE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	192	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	192	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		90.10 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	173	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	173	90.10 %
PASSED	157	90.75 %
BILATERAL FAIL	3	1.73 %
FAILED IN LEFT EAR ONLY	3	1.73 %
FAILED IN RIGHT EAR ONLY	10	5.78 %
INCOMPLETE SCREEN REPORTS	19	9.90 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	19	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Monroe ENT		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	35		
TOTAL FOLLOW UP RESULTS RECEIVED **		(26)	74.29 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1)	33.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	13	(6)	46.15 %
INCOMPLETE CASES (RESULTS RECEIVED)	19	(19)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROVIDENCE HOSPITAL, SOUTHFIELD

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	464	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	461	99.35 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.77 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	75	16.67 %
ABR	0	0.00 %
DISTORTION PRODUCT	374	83.11 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	449	97.40 %
PASSED	435	96.67 %
BILATERAL FAIL	6	1.33 %
FAILED IN LEFT EAR ONLY	5	1.11 %
FAILED IN RIGHT EAR ONLY	3	0.67 %
INCOMPLETE SCREEN REPORTS	12	2.60 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	16.67 %
NICU HEARING PENDING	3	25.00 %
REFUSED	1	8.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	33.33 %
DECEASED	2	16.67 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	29		
TOTAL FOLLOW UP RESULTS RECEIVED **		(19)	65.52 %
MISSING CASES	3		0.65 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(7)	87.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	12	(7)	58.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROVIDENCE PARK HOSPITAL, NOVI

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	503		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	502		99.80 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.60 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	34		6.79 %
ABR	0		0.00 %
DISTORTION PRODUCT	466		93.01 %
TEOAE	1		0.20 %
BILATERALLY COMPLETED REPORTS	501		99.80 %
PASSED	461		92.02 %
BILATERAL FAIL	15		2.99 %
FAILED IN LEFT EAR ONLY	14		2.79 %
FAILED IN RIGHT EAR ONLY	11		2.20 %
INCOMPLETE SCREEN REPORTS	1		0.20 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	42		
TOTAL FOLLOW UP RESULTS RECEIVED **		(37)	88.10 %
MISSING CASES	1		0.20 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	15	(13)	86.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	25	(23)	92.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR RICHARDS-CAPP, KRISTIN, KALAMAZOO

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	100.00 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ROSS, SHELIE, Perry

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		66.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	2	66.67 %
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	33.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR RUSK, RON & SUE, JONESVILLE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Zeeland Family Birth Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR RUSK, SUSAN, JONESVILLE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	10		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	9		90.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	9		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	8		88.89 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		11.11 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	80.00 %
MISSING CASES	1		10.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(8)	88.89 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SIMMONS, HANNAH, SPRINGFIELD

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	6	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	83.33 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	5	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	83.33 %
MISSING CASES	1		16.67 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SINAI-GRACE HOSPITAL, DETROIT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	268	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	268	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		87.31 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	234	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	234	87.31 %
PASSED	224	95.73 %
BILATERAL FAIL	4	1.71 %
FAILED IN LEFT EAR ONLY	4	1.71 %
FAILED IN RIGHT EAR ONLY	2	0.85 %
INCOMPLETE SCREEN REPORTS	34	12.69 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	9	26.47 %
NICU HEARING PENDING	8	23.53 %
REFUSED	0	0.00 %
RESTLESSNESS	1	2.94 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	2.94 %
DECEASED	0	0.00 %
OTHER	15	44.12 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai-Grace Hospital - Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	44		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	47.73 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(3)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	34	(16)	47.06 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SINAI-GRACE HOSPITAL- NICU, DETROIT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	69	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	69	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		65.22 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	45	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	45	65.22 %
PASSED	43	95.56 %
BILATERAL FAIL	1	2.22 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	2.22 %
INCOMPLETE SCREEN REPORTS	24	34.78 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	20	83.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	4.17 %
DECEASED	1	4.17 %
OTHER	2	8.33 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai-Grace Hospital		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	26		
TOTAL FOLLOW UP RESULTS RECEIVED **		(22)	84.62 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	24	(21)	87.50 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SLATER , LAURA, GRAND RAPIDS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	9	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	9	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	9	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	9	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Zeeland Family Birth Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(9)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPARROW CARSON HOSPITAL, CARSON CITY

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	76	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	76	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.74 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	72	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	72	94.74 %
PASSED	69	95.83 %
BILATERAL FAIL	1	1.39 %
FAILED IN LEFT EAR ONLY	1	1.39 %
FAILED IN RIGHT EAR ONLY	1	1.39 %
INCOMPLETE SCREEN REPORTS	4	5.26 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sonus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	85.71 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL, LANSING

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	941	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	941	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.79 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	938	99.89 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.11 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	939	99.79 %
PASSED	911	97.02 %
BILATERAL FAIL	5	0.53 %
FAILED IN LEFT EAR ONLY	18	1.92 %
FAILED IN RIGHT EAR ONLY	5	0.53 %
INCOMPLETE SCREEN REPORTS	2	0.21 %
EQUIPMENT FAILURE	1	50.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	30		
TOTAL FOLLOW UP RESULTS RECEIVED **		(25)	83.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	23	(18)	78.26 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL - NICU, LANSING

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	93	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	93	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		81.72 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	73	96.05 %
ABR	3	3.95 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	76	81.72 %
PASSED	76	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	17	18.28 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	5.88 %
NICU HEARING PENDING	13	76.47 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	17.65 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17		
TOTAL FOLLOW UP RESULTS RECEIVED **		(14)	82.35 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	17	(14)	82.35 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH BIG RAPIDS HOSPITAL , BIG RAPIDS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	126		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	126	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.03 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	121	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	121	96.03 %	
PASSED	116	95.87 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	2	1.65 %	
FAILED IN RIGHT EAR ONLY	3	2.48 %	
INCOMPLETE SCREEN REPORTS	5	3.97 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	3	60.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	2	40.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	90.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(4)	80.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH BUTTERWORTH CAMPUS, GRAND RAPIDS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	1633		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1632	99.94 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.51 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1625	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1625	99.57 %	
PASSED	1525	93.85 %	
BILATERAL FAIL	36	2.22 %	
FAILED IN LEFT EAR ONLY	32	1.97 %	
FAILED IN RIGHT EAR ONLY	32	1.97 %	
INCOMPLETE SCREEN REPORTS	7	0.43 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	2	28.57 %	
NICU HEARING PENDING	1	14.29 %	
REFUSED	1	14.29 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	3	42.86 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	108		
TOTAL FOLLOW UP RESULTS RECEIVED **		(75)	69.44 %
MISSING CASES	1		0.06 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	36	(28)	77.78 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	64	(42)	65.63 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(5)	71.43 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH GERBER MEMORIAL, FREMONT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	128	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	128	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.66 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	124	99.20 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.80 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	125	97.66 %
PASSED	125	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	2.34 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Gerber Mem. Health Serv - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH LUDINGTON HOSPITAL, LUDINGTON

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	99	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	99	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.99 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	98	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	98	98.99 %
PASSED	98	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.01 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH UNITED HOSPITAL, GREENVILLE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	99	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	97	97.98 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.95 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	94	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	94	96.91 %
PASSED	87	92.55 %
BILATERAL FAIL	3	3.19 %
FAILED IN LEFT EAR ONLY	3	3.19 %
FAILED IN RIGHT EAR ONLY	1	1.06 %
INCOMPLETE SCREEN REPORTS	3	3.09 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	33.33 %
NICU HEARING PENDING	1	33.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	33.33 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum United OB	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12	
TOTAL FOLLOW UP RESULTS RECEIVED **		(8) 66.67 %
MISSING CASES	2	2.02 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(1) 33.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH ZEELAND HOSPITAL, ZEELAND

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	137	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	137	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.27 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	136	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	136	99.27 %
PASSED	134	98.53 %
BILATERAL FAIL	2	1.47 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.73 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Zeeland Family Birth Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HLTH CHILDREN'S- NICU, GRAND RAPIDS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	265		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	261		98.49 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			84.91 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	225		99.12 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	225		86.21 %
PASSED	224		98.68 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	1		0.44 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	36		13.79 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	23		63.89 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	4		11.11 %
DECEASED	8		22.22 %
OTHER	1		2.78 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	41		
TOTAL FOLLOW UP RESULTS RECEIVED **		(27)	65.85 %
MISSING CASES	4		1.51 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	36	(26)	72.22 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST FRANCIS HOSPITAL, ESCANABA

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	86	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	86	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	84	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	84	97.67 %
PASSED	82	97.62 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	2.38 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	2.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St. Francis OB
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4
TOTAL FOLLOW UP RESULTS RECEIVED **	(4) 100.00 %
MISSING CASES	0 0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0 0 0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2 (2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2 (2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN DETROIT NICU-182001, DETROIT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	86	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	82	95.35 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		84.88 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	73	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	73	89.02 %
PASSED	71	97.26 %
BILATERAL FAIL	2	2.74 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	9	10.98 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	11.11 %
NICU HEARING PENDING	4	44.44 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	11.11 %
DECEASED	3	33.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Holley Ear Institute	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15	
TOTAL FOLLOW UP RESULTS RECEIVED **		(6) 40.00 %
MISSING CASES	4	4.65 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(5) 55.56 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN HOSP DETROIT SPECIAL CARE, DETROIT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	21	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	21	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	20	95.24 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	4.76 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	21	100.00 %
PASSED	21	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN HOSPITAL, DETROIT

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	627	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	624	99.52 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.20 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	620	99.68 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	0.32 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	622	99.68 %
PASSED	596	95.82 %
BILATERAL FAIL	4	0.64 %
FAILED IN LEFT EAR ONLY	15	2.41 %
FAILED IN RIGHT EAR ONLY	7	1.13 %
INCOMPLETE SCREEN REPORTS	2	0.32 %
EQUIPMENT FAILURE	1	50.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St. John Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	31		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	67.74 %
MISSING CASES	3		0.48 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	22	(17)	77.27 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN MACOMB HOSPITAL, WARREN

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	237	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	236	99.58 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.89 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	231	99.57 %
ABR	1	0.43 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	232	98.31 %
PASSED	217	93.53 %
BILATERAL FAIL	4	1.72 %
FAILED IN LEFT EAR ONLY	10	4.31 %
FAILED IN RIGHT EAR ONLY	1	0.43 %
INCOMPLETE SCREEN REPORTS	4	1.69 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	0	0.00 %
OTHER	1	25.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb Aud.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	20		
TOTAL FOLLOW UP RESULTS RECEIVED **		(17)	85.00 %
MISSING CASES	1		0.42 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(10)	90.91 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN RIVER DISTRICT HOSPITAL, EAST CHINA

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	76	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	74	97.37 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.05 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	72	98.63 %
ABR	1	1.37 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	73	98.65 %
PASSED	73	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.35 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John-River District Hosp - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	33.33 %
MISSING CASES	2		2.63 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL, ANN ARBOR

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	786		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	784		99.75 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.49 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	770		98.47 %
ABR	11		1.41 %
DISTORTION PRODUCT	1		0.13 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	782		99.74 %
PASSED	771		98.59 %
BILATERAL FAIL	1		0.13 %
FAILED IN LEFT EAR ONLY	7		0.90 %
FAILED IN RIGHT EAR ONLY	3		0.38 %
INCOMPLETE SCREEN REPORTS	2		0.26 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	2		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St. Joseph Mercy AA-OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	80.00 %
MISSING CASES	2		0.25 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(10)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL - NICU, ANN ARBOR

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	38	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	37	97.37 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		92.11 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	35	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	35	94.59 %
PASSED	35	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	5.41 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St Joseph Mercy AA-OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1		2.63 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL PONTIAC, PONTIAC

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	360		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	360	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.44 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	0.28 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	357	99.72 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	358	99.44 %	
PASSED	318	88.83 %	
BILATERAL FAIL	16	4.47 %	
FAILED IN LEFT EAR ONLY	16	4.47 %	
FAILED IN RIGHT EAR ONLY	8	2.23 %	
INCOMPLETE SCREEN REPORTS	2	0.56 %	
EQUIPMENT FAILURE	1	50.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	1	50.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St Joseph Mercy -Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	42		
TOTAL FOLLOW UP RESULTS RECEIVED **		(37)	88.10 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	16	(16)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	24	(20)	83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL PONTIAC NICU, PONTIAC

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	66	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	66	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		86.36 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	37	64.91 %
ABR	0	0.00 %
DISTORTION PRODUCT	20	35.09 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	57	86.36 %
PASSED	54	94.74 %
BILATERAL FAIL	2	3.51 %
FAILED IN LEFT EAR ONLY	1	1.75 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	9	13.64 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	11.11 %
NICU HEARING PENDING	7	77.78 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	11.11 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy- Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(7)	77.78 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST MARY HOSPITAL - LIVONIA, LIVONIA

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	200		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	200	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	196	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	196	98.00 %	
PASSED	195	99.49 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	1	0.51 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	4	2.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	1	25.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	3	75.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St Mary's Hospital OB-Livonia		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	80.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST MARY HOSPITAL SCN - LIVONIA, LIVONIA

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		66.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	2	66.67 %
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	33.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR STURGIS HOSPITAL, STURGIS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	108	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	108	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.22 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	105	99.06 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	105	97.22 %
PASSED	104	98.11 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	0.94 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	2.78 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	33.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Charles Van Riper Hearing Clinic		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	125.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(4)	133.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR TAWAS ST. JOSEPH HOSPITAL, TAWAS CITY

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	66	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	66	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	64	96.97 %
ABR	1	1.52 %
DISTORTION PRODUCT	1	1.52 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	66	100.00 %
PASSED	58	87.88 %
BILATERAL FAIL	4	6.06 %
FAILED IN LEFT EAR ONLY	1	1.52 %
FAILED IN RIGHT EAR ONLY	3	4.55 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	12.50 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(1)	25.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR THREE RIVERS AREA HOSPITAL, THREE RIVERS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	40	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	39	97.50 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.50 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	39	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	39	100.00 %
PASSED	39	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Three Rivers OB Department		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1		2.50 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR U OF M HOSPITAL, ANN ARBOR

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	979		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	978		99.90 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.39 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	973		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	973		99.49 %
PASSED	909		93.42 %
BILATERAL FAIL	25		2.57 %
FAILED IN LEFT EAR ONLY	24		2.47 %
FAILED IN RIGHT EAR ONLY	15		1.54 %
INCOMPLETE SCREEN REPORTS	5		0.51 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		20.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		40.00 %
DECEASED	2		40.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University of MI HS - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	70		
TOTAL FOLLOW UP RESULTS RECEIVED **		(51)	72.86 %
MISSING CASES	1		0.10 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	25	(20)	80.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	39	(26)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR U OF M HOSPITAL - NICU, ANN ARBOR

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	106	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	103	97.17 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		70.75 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	75	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	75	72.82 %
PASSED	70	93.33 %
BILATERAL FAIL	3	4.00 %
FAILED IN LEFT EAR ONLY	1	1.33 %
FAILED IN RIGHT EAR ONLY	1	1.33 %
INCOMPLETE SCREEN REPORTS	28	27.18 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	14	50.00 %
REFUSED	1	3.57 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	10.71 %
DECEASED	10	35.71 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University of Michigan HS- Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	36	
TOTAL FOLLOW UP RESULTS RECEIVED **	(27)	75.00 %
MISSING CASES	3	2.83 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3 (1)	33.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2 0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	28 (26)	92.86 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR UP HEALTH SYSTEM-BELL, ISHPEMING

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	65	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	65	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		93.85 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	61	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	61	93.85 %
PASSED	61	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	6.15 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(2)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR UP HEALTH SYSTEM-MARQUETTE, MARQUETTE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	118		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	116		98.31 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			97.46 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	109		94.78 %
ABR	6		5.22 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	115		99.14 %
PASSED	111		96.52 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	4		3.48 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	1		0.86 %
EQUIPMENT FAILURE	1		100.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	28.57 %
MISSING CASES	2		1.69 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(1)	25.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR UP HEALTH SYSTEM-PORTAGE, HANCOCK

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	66	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	66	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		92.42 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	53	86.89 %
ABR	8	13.11 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	61	92.42 %
PASSED	55	90.16 %
BILATERAL FAIL	1	1.64 %
FAILED IN LEFT EAR ONLY	3	4.92 %
FAILED IN RIGHT EAR ONLY	2	3.28 %
INCOMPLETE SCREEN REPORTS	5	7.58 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Portage Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11	
TOTAL FOLLOW UP RESULTS RECEIVED **	(9)	81.82 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(3) 60.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR UP HEALTH SYSTEMS-MARQUETTE, MARQUETTE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	30	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	28	93.33 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		86.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	25	96.15 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	3.85 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	26	92.86 %
PASSED	26	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	7.14 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette-OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	2		6.67 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR VISSER , YOLANDA, GRAND RAPIDS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	12		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	11		91.67 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	11		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	11		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Zeeland Family Birth Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	100.00 %
MISSING CASES	1		8.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(12)	109.09 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR VRIELINK, BRENDA, COMSTOCK PARK

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	2	100.00 %
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WAR MEMORIAL HOSPITAL, SAULT STE MARIE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	105	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	105	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		91.43 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	96	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	96	91.43 %
PASSED	73	76.04 %
BILATERAL FAIL	8	8.33 %
FAILED IN LEFT EAR ONLY	8	8.33 %
FAILED IN RIGHT EAR ONLY	7	7.29 %
INCOMPLETE SCREEN REPORTS	9	8.57 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	9	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing First Inc.	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	32	
TOTAL FOLLOW UP RESULTS RECEIVED **	(25)	78.13 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8	(8) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	15	(9) 60.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(8) 88.89 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WEAVER, KATIE, Sears

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WEAVER, KATIE, SEARS

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	5	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WENTE, SUSAN, NEWAGO

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	5		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	80.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	4	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	1	25.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	3	75.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	20.00 %
MISSING CASES	1		20.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(1)	25.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WENTE, SUSAN, NEWAYGO

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WEST SHORE MEDICAL CENTER, MANISTEE

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	55	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	55	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	55	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	55	100.00 %
PASSED	50	90.91 %
BILATERAL FAIL	1	1.82 %
FAILED IN LEFT EAR ONLY	3	5.45 %
FAILED IN RIGHT EAR ONLY	1	1.82 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>West Shore OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ZANER, JENNIFER, MACOMB TWP

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION

NEWBORN SCREENS FROM 10/01/2014 - 12/31/2014	9	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	8	88.89 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		77.78 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	7	87.50 %
PASSED	7	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	12.50 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Zeeland Family Birth Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		11.11 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION
